

**Lever Block 1.5 Ton**

Lever Block 1.5 Ton1 hoist chain ratchet type,5 feet/1.5m lift, .Two swivel hook with safety latches 7.1mm diameter chain thickness. Lever block 1.5 ton has 360-degree high-strength heavy hook,with slow bending performance.Adjustable upper and lower wrenches. A gear wrench is provided. The middle is neutral and can be adjusted at will.

1、 Introduction of the Lever Block 1.5 Ton

Lever Block 1.5 Ton1 hoist chain ratchet type,5 feet/1.5m lift, .Two swivel hook with safety latches 7.1mm diameter chain thickness. Lever block 1.5 ton has 360-degree high-strength heavy hook,with slow bending performance.Adjustable upper and lower wrenches. A gear wrench is provided. The middle is neutral and can be adjusted at will.

2、 Product Specification of the Lever Block 1.5 Ton

Model	VA0.25	VA0.5	VA0.75	VA1	VA1.5	VA2	VA3	VA6
Capacity t	0.25	0.5	0.75	1	1.5	2	3	6
Standard Lift m	1	1.5	1.5	1.5	1.5	1.5	1.5	1.5
Running test load t	0.375	0.75	1.13	1.5	2.25	3	4.5	9
Min distance between hooks			325	335	380	380	480	620
Effort required to lift max load N			140	140	220	220	320	3404
Diameter of load chain mm	4	5	6	6	8	8	10	10
Net weight kg			7	7.5	11	12	21	31
Extra weight per meter of extra lift cm			0.92	0.92	1.6	1.6	2.4	4.8

3.Lever Block 1.5 Ton Feature And Application



www.hugoforklift.com

Lever Block 1.5 Ton Constructed with hardened alloy steel chains. Build-in mechanical load brake. Come with puller pulley, gear, and two swivel eye hooks with latches. Ideal for portable use in workshops, garages, factories, etc.

Lever block 1.5 Ton chain hoist is ideal for warehouse, auto shops, construction site and more operating situations. It can safely lift heavy loads up to 1.5 ton and efficiently lift heavy objects to 5 feet above.

The chain hoist is ideal for warehouse, auto shops, construction site and more operating situations. It can safely lift heavy loads up to 1.5 ton and efficiently lift heavy objects to 5 feet above the ground. Lever block 1.5 Ton Capacity from 0.25T to 6T, Minimum headroom required and very versatile in operation.


Automatic double-pawl braking system, Chain guides provide smooth chain operation.

Roller bearing supported load sheaves for avoiding abrasion.

The lever hoist static test is 4 times of capacity, and running test is 1.5 times of capacity one by one. Surface finishing: Automotive painting.

4. Lever Block 1.5 Ton Details


1. Safe, reliable and durable use. Excellent performance and minimum maintenance. Small volume, light weight and portable size.



2..Hand pull and high efficiency. Advanced structured attractive appearance.



3..Build-in mechanical load brake.Two swivel hook with safety latches



4.G80 Chain are made of special alloy steel that is exclusively



5.Drop forged kooks to ensure superior quality and safety

5、 Product qualification

Shanghai Yiyong Crane Machinery Company is the hoist manufacturer Institute certified. This means we are one of the industry's leading suppliers of hoist equipment. We are reliable and deliver exceptional value. Shanghai Yiyong Crane machinery Company provide various Lever block 1.5 Ton it is the most popular in Asia ,America and Canada ,It is beautiful ,strong and durable.we promise the electric hoist 2ton warranty is 2 years.and the hand cable is warter proofed,and we really welcome the treaders around the world join in us .

6、 Deliver shipping and serving

Ready made product, it can be sent out within 3-7 DAYS.

Pre-sale Services : we have professional sales team as your guide to choose correct model and solve your problems timely, cooperated with engineering team、 technical department、 production department、 administration department、 accountant department、 document department, working time is 7x24hours.

Sale services: one to one sales would in charge of all matters about your purchase order and would monitor shipping all the way till you got material, including proving documents , communicate with forwarder etc. Cooperated with production department、 technical department、 engineer department technical department、 packaging department、 logistic department to deal with related communications ensure your order would be proceed without any mistakes.

After-sale services : after-sales team will deal with all complaint from customers such as packaging ,quality ,shipping ,etc. We will surely exchange goods or make up lost if finally verify mistakes caused by our side, a promise is a promise !

USAGE : adjust up and down the switch to the appropriate position and turn the wheel to the right until the chain is stretched, and then start to work. when the switch on the upper side and underside is in the middle, the chain can be pulled to adjust the position of the hook.By the 360 degree high and low swivel hook and automatic braking system, it can provide simple control.

7、 FAQ

1.What is your MOQ ?

MOQ is 1 pc , you can check our quality at first.

2. How to install it ?

Don't worry. We could provide the installation videos.

3.What about the packaging ?

Common packaging is 1 piece per wooden case. And then we pack lots of them as a pallet

4.What capacity do you have?

The common capacity is 100KG 200KG 400KG 600KG 1T 2T 3T 5T 10T